

LESEN PENSIJILAN BARANGAN

Product Certification Licence



SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to

ALAM-CON SDN. BHD.
9521-A, (LOT 209) JLN PBR 25
KAWASAN PERINDUSTRIAN BUKIT RAMBAI
PERINGKAT IV (B)
75250 BUKIT RAMBAI
MELAKA, MALAYSIA

Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on

AUTOCLAVED AERATED CONCRETE MASONRY UNITS (BLOCK)

Please refer to detail in the SCHEDULE

sebagai mematuhi keperluan
as complying with

BS EN 771-4 : 2003

BS 476 : PART 22 : 1987



Mohd Azanuddin bin Salleh
Pengarah Urusan
Managing Director
SIRIM QAS International Sdn. Bhd.



SIRIM QAS International Sdn. Bhd.
(No. Syarikat 410334-X)
1, Persiaran Dato' Menteri
Seksyen 2, Peli Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 60-3-55446400
Faks : 60-3-55446466

<http://www.sirim.my>
<http://www.malaysian-certified.my>

Tarikh Mula Pensijilan : 20 November 2012

Certified Since

Sah Sehingga : 20 November 2019

Valid Until

Tarikh Dikeluarkan : 23 October 2018

Issue Date

No Siri : 041768

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

ALAM-CON SDN. BHD.



Trade Mark : ACON
Model : A3 (Tested to BS EN 771-4 : 2011)
Nominal Net Dry Density: 590 kg/m³
Nominal Compressive Strength: 3 N/mm²
Rating : Four (4) hours; Integrity:250 Minutes, Insulation: 250 Minutes
Type : Solid
Size : 600mm(l) x 100mm(w) x 200mm(h)
600mm(l) x 125mm(w) x 200mm(h)
600mm(l) x 150mm(w) x 200mm(h)
600mm(l) x 200mm(w) x 200mm(h)

Trade Mark : ACON
Model : A5 (Tested to BS EN 771-4 : 2011)
Nominal Net Dry Density : 730 kg/m³
Nominal Compressive Strenght : 5 N/mm²
Rating : Four (4) hours; Integrity : 250 Minutes, Insulation : 250 Minutes
Type : Solid
Size : 600mm(l) x 100mm(w) x 200mm(h)
600mm(l) x 125mm(w) x 200mm(h)
600mm(l) x 150mm(w) x 200mm(h)
600mm(l) x 200mm(w) x 200mm(h)
600mm(l) x 175mm(w) x 200mm(h)

TEST REPORT NO. : 2017CB1226, 2017CB1225, 2017FE0582, 2017FE0705 ,
2018CB0122, 2018CB0121

End of page

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 410334-X)
1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tarikh Mula Pensijilan : 20 November 2012
Certified Since
Sah Sehingga : 20 November 2019
Valid Until

Tarikh Dikeluarkan : 23 October 2018
Issue Date
No Siri : 041768
Serial No

Tel : 60-3-55446400
Faks : 60-3-55446466

<http://www.sirim.my>
<http://www.malaysian-certified.my>

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.