



PSB Singapore

CERTIFICATE OF CONFORMITY

No. CLS1A 126388 0001 Rev. 00

Initial No. -

Certificate Holder: ALAM-CON SDN. BHD.
PT9125, Taman Perindustrian Tungzen
Kampung Kepayang
31300 Ipoh Perak
MALAYSIA

UEN - 200701042477 (800510-M)

Local Representative: ACON AAC PTE. LTD.
221 Balestier Road, #03-07, Rocca Balestier, Singapore 329928,
SINGAPORE
UEN - 202331573E

Certification Mark:



Product: Fire Rated Partition Systems
Brand Name: ACON
Model(s): A5
Product Details: Integrity: 240mins, Insulation: 240mins
Refer to following page(s)
Standard(s): BS 476-22:1987
BS 476-4:1970
Country of Origin: Malaysia

Test Report(s): SIRIM 2021FE0481 (exclude cl 6.2), SIRIM 2023FE0678-A1
Valid until: 2029-07-16

Products listed under Class 1A must have TÜV SÜD PSB PLS mark as shown above affixed/printed on them. Failure to comply with this requirement may result in revocation of this certificate.

Page 1 of 2

Issued on: 2024-07-18

Vice-President (Certification Department)
TÜV SÜD PSB



This Certificate is the property of TÜV SÜD PSB Pte Ltd. Reports listed in this certificate is an integral part of the certificate and should be read in conjunction with it. The use of this Certificate is subjected to TÜV SÜD Group Testing and Certification Regulations; TÜV SÜD PSB Pte Ltd (PSB) General Terms and Conditions of Business and PSB Product Listing Scheme (PLS) Application Fact Sheet. The manufacturer is solely responsible for compliance of any product that has the same designation as the product type-tested. Persons relying on this Certificate should verify its validity by checking the e-directory: www.tuvsud.com/ps-cert. For more information on TÜV SÜD PSB Pte Ltd product certification: www.tuvsud.com/sg



PSB Singapore

CERTIFICATE OF CONFORMITY

No. CLS1A 126388 0001 Rev. 00

Initial No. -

Product Details:

Partition systems

Integrity: 240mins, Insulation: 240mins

A single layer autoclaved aerated concrete wall system of overall size 3000mm (w) x 3040mm (h) x 100mm (t)

Block: A5, 635.4kg/m³, single block nominal size: 600mm (l) x 100mm (w) x 200mm (h)

Material

A5

Classification: Non-Combustible

Density: 636kg/m³

Page 2 of 2

Issued on: 2024-07-18

Vice-President (Certification Department)
TÜV SÜD PSB



This Certificate is the property of TÜV SÜD PSB Pte Ltd. Reports listed in this certificate is an integral part of the certificate and should be read in conjunction with it. The use of this Certificate is subjected to TÜV SÜD Group Testing and Certification Regulations; TÜV SÜD PSB Pte Ltd (PSB) General Terms and Conditions of Business and PSB Product Listing Scheme (PLS) Application Fact Sheet. The manufacturer is solely responsible for compliance of any product that has the same designation as the product type-tested. Persons relying on this Certificate should verify its validity by checking the e-directory: www.tuvsud.com/ps-cert. For more information on TÜV SÜD PSB Pte Ltd product certification: www.tuvsud.com/sg