



SIRIM QAS INTERNATIONAL SDN. BHD.

(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri, Seksyen 2, Peti Surat 7035, 40700 Shah Alam, Selangor Darul Ehsan, Malaysia
Tel : 603-5544 6000 Emel : cserviceqas@sirim.my www.sirim-qas.com.my

File No : P5-006338
Licence No : PC000414

Date : 22/11/2024

ALAM-CON SDN. BHD.
PT 9125, TAMAN PERINDUSTRIAN TUNGZEN
31300 KAMPUNG KEPAYANG
PERAK, MALAYSIA

Attn : JENN SOO JIN TONG

Tel No : 017-9585933

Fax No : -

Dear Sir/Madam,

Product Certification Licence

Product : AUTOCLAVED AERATED CONCRETE MASONRY UNITS (BLOCK)

Standard : BS EN 771-4 : 2003 BS 476 : PART 22 : 1987

With regards to your request for new/renewal/changes of licence(s) under the SIRIM Product Certification Licence scheme, enclosed please find the copy of the licence(s) and the certification report(s) for your safe keeping.

For enquiry, please contact

Officer Name : IRFAN ABDULLAH KHALIT

Contact No : 6013-3416306

Email : irfan@sirim.my

Thank you.

This is a computer generated document. No signature is required.



No Lesen : **PC000414**

Licence No :

LESEN PENSIJILAN BARANGAN *Product Certification Licence*



**SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to**

**ALAM-CON SDN. BHD.
PT 9125, TAMAN PERINDUSTRIAN TUNZEN
31300 KAMPUNG KEPAYANG
PERAK, MALAYSIA**



**Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on**

AUTOCLAVED AERATED CONCRETE MASONRY UNITS (BLOCK)

Please refer to detail in the SCHEDULE



**sebagai mematuhi keperluan
as complying with**

**BS EN 771-4 : 2003
BS 476 : PART 22 : 1987**

Nur Fadhilah binti Muhammad
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 20 November 2012

Certified Since

Sah Sehingga : 20 November 2025

Valid Until

Tarikh Dikeluarkan : 22 November 2024

Issue Date

No Siri : 105030

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

ALAM-CON SDN. BHD.



Trade Mark : ACON
Model : A3 (Tested to BS EN 771-4 : 2011)
Nominal Net Dry Density: 590 kg/m³
Nominal Compressive Strength: 3 N/mm²
Rating : Four (4) hours; Integrity: 240 Minutes, Insulation: 240 Minutes
The product has also been tested and passed Hose stream test in accordance with Standard ASTM E2226



Type : Solid
Size : 600mm(l) x 100mm(w) x 200mm(h)
600mm(l) x 125mm(w) x 200mm(h)
600mm(l) x 150mm(w) x 200mm(h)
600mm(l) x 175mm(w) x 200mm(h)
600mm(l) x 200mm(w) x 200mm(h)

Test Report No.: 2021CB0085, 2021CB0086, 2017CB1226, 2017CB1225, 2023FE0030



Trade Mark : ACON
Model : A5 (Tested to BS EN 771-4 : 2011)
Nominal Net Dry Density: 650 kg/m³
Nominal Compressive Strength: 5 N/mm²
Rating : Four (4) hours; Integrity: 240 Minutes, Insulation: 240 Minutes
The product has also been tested and passed Hose stream test in accordance with Standard ASTM E2226

Type : Solid
Size : 600mm(l) x 100mm(w) x 200mm(h)
600mm(l) x 125mm(w) x 200mm(h)
600mm(l) x 150mm(w) x 200mm(h)
600mm(l) x 175mm(w) x 200mm(h)
600mm(l) x 200mm(w) x 200mm(h)

Test Report No.: 2020CB0695, 2020CB0696, 2018CB0122, 2018CB0121, 2021FE0481, 2023FE0511

SCHEDULE

ALAM-CON SDN. BHD.



Trade Mark : ACON
Model : A7 (Tested to BS EN 771-4 : 2011)
Nominal Net Dry Density: 760 kg/m³
Nominal Compressive Strength: 7 N/mm²
Rating : Four (4) hours; Integrity: 240 Minutes, Insulation: 240 Minutes
The product has also been tested and passed Hose stream test in accordance with Standard ASTM E2226

Type : Solid
Size : 600mm(l) x 100mm(w) x 200mm(h)
600mm(l) x 125mm(w) x 200mm(h)
600mm(l) x 150mm(w) x 200mm(h)
600mm(l) x 175mm(w) x 200mm(h)
600mm(l) x 200mm(w) x 200mm(h)

Test Report No.: 2021CB0218, 2021CB0217, 2021FE0101



TEST REPORT NO. : 2017FE0705 , 2017CB1226, 2017CB1225, 2023FE0030,
2018CB0122, 2018CB0121, 2020CB0695, 2020CB0696,
2021CB0085, 2021CB0086, 2021CB0218, 2021CB0217,
2021FE0101, 2021FE0481, 2023FE0511



Factory Name and Location :
ALAM-CON SDN. BHD.
PT 9121-PT 9126
PT 23075 & PT23076
TAMAN PERINDUSTRIAN TUNGZEN
31300 KAMPUNG KEPAYANG
PERAK, MALAYSIA

End of page